

Author index to volume 290

Aldea, E., see Brussaard, G.J.H.	290 (1998) 373
Allouche, A.R., see Benichou, E.	290 (1998) 171
Antoine, R., see Benichou, E.	290 (1998) 171
Arvanitidis, J., see Meletov, K.P.	290 (1998) 125
Asahi, N. and Y. Nakamura, Chemical shift study of liquid and supercritical methanol	290 (1998) 63
Aubert-Frecon, M., see Benichou, E.	290 (1998) 171
Bacskay, G.B., M. Martoprawiro and J.C. Mackie, An ab initio quantum chemical study of the electronic structure and stability of the pyrrolyl radical: Comparison with the isoelectronic cyclopentadienyl radical	290 (1998) 391
Bader, R.F.W., R.J. Gillespie and F. Martín, Core distortions in metal atoms and the use of	270 (1770)
effective core potentials	290 (1998) 488
Bagchi, B., see Biswas, R.	290 (1998) 223
Balasubramanian, K., see Tan, H.	290 (1998) 458
Bandara, A., S. Katano, J. Kubota, K. Onda, A. Wada, K. Domen and C. Hirose, The effect	270 (1770)
of co-adsorption of on-top CO on the sum-frequency generation signal of bridge CO on	
the Ni(111) surface	290 (1998) 261
Bellert, D., T. Buthelezi and P.J. Brucat, The structure of Co+ OCO	290 (1998) 316
Ben-Nun, M. and T.J. Martínez, Direct evaluation of the Pauli repulsion energy using	(
'classical' wavefunctions in hybrid quantum/classical potential energy surfaces	290 (1998) 289
Benichou, E., A.R. Allouche, M. Aubert-Frecon, R. Antoine, M. Broyer, Ph. Dugourd and	
D. Rayane, Experimental and theoretical investigations of ionization potentials and	
structures of mixed sodium lithium clusters	290 (1998) 171
Bifone, A., see Casalis, L.	290 (1998) 245
Billing, G.D., Vibrational relaxation of adsorbed molecules by coupling to electron-hole	
pair excitation	290 (1998) 150
Billing, G.D., see Laursen, C.M.	290 (1998) 275
Biswas, R. and B. Bagchi, Ion solvation dynamics in supercritical water	290 (1998) 223
Borshch, S.A., see Duclusaud, H.	290 (1998) 526
Braga, M., see do Monte, S.A.	290 (1998) 136
Brenier, A., Laser-heated pedestal growth of Er ³⁺ -doped Gd ₂ O ₃ single crystal fibres and	
up-conversion processes	290 (1998) 329
Brink, C., P. Hvelplund, H. Shen, H.A. Jiménez-Vázquez, R.J. Cross and M. Saunders,	
Collisional fragmentation of Ar@C ₆₀	290 (1998) 551
Broyer, M., see Benichou, E.	290 (1998) 171
Brucat, P.J., see Bellert, D.	290 (1998) 316
Brunetti, B.G., P. Candori, J. De Andres, S. Falcinelli, M. Stramaccia and F. Vecchiocat-	
tivi, Metastable hydrogen atom scattering by crossed molecular beams: Total cross-sec-	
tions for H(2s)-Kr, O ₂ and Cl ₂ at thermal energies	290 (1998) 17

 Brunner, E., M. Haake, A. Pines, J.A. Reimer and R. Seydoux, Enhancement of ¹³C NM signals in solid C₆₀ and C₇₀ using laser-polarized xenon Brussaard, G.J.H., E. Aldea, M.C.M. van de Sanden, G. Dinescu and D.C. Schran Evidence for charge exchange between N⁺ and N₂(A³Σ_u⁺) in a low-temperature riterage releases. 	290 (1998) 112 m,
nitrogen plasma	290 (1998) 379
Buthelezi, T., see Bellert, D.	290 (1998) 316
Cai, WS., see Guo, QX.	290 (1998) 514
Candori, P., see Brunetti, B.G.	290 (1998) 17
Cao, J., H. Ihee and A.H. Zewail, Ultrafast electron diffraction: determination of radical	
structure with picosecond time resolution	290 (1998) 1
Cao, X., C. Qiao and D. Wang, HeI photoelectron spectroscopic study of the electronic	
structure of SSF ₂ and FSSF compounds	290 (1998) 405 290 (1998) 502
Capitelli, M., see Hassouni, K.	
Caratti, G., R. Ferrando, R. Spadacini, G.E. Tommei and I. Zelenskaya, Resonant diffusio	
in periodic systems with memory	290 (1998) 509
Casalis, L., S. Günther, J. Kovač, M. Marsi, M. Kiskinova and A. Bifone, Bimetalli	
aggregates at surfaces: spectromicroscopy study of Pt-Ag interaction on graphite	290 (1998) 245
Chen, L., R. Wu, N. Kioussis and Q. Zhang, First principles determinations of the bonding	_
mechanism and adsorption energy for CO/MgO(001)	290 (1998) 255
Christoffersen, E., see Laursen, C.M.	290 (1998) 275
Chung, D.D., see Takeda, J.	290 (1998) 341
Cool, T.A., see Werner, J.H.	290 (1998) 81
Cross, R.J., see Brink, C.	290 (1998) 551
De Andres, J., see Brunetti, B.G.	290 (1998) 17
De Giambiagi, M.S., see de Oliveira Neto, M.	290 (1998) 205
De Oliveira Neto, M., M.S. de Giambiagi and M. Giambiagi, Influence of the hypermodi	
	290 (1998) 205
fied Y base on the A · U pairing in the codon-anticodon interaction De Vivie-Riedle, R., see Manz, J.	290 (1998) 415
	290 (1998) 379
Dinescu, G., see Brussaard, G.J.H.	290 (1998) 58
Dogariu, A., see Vacar, D.	
Domen, K., see Bandara, A.	290 (1998) 261
Do Monte, S.A. and M. Braga, Electronic factor for photoinduced electron transfer in	
porphyrin-bridge-quinone systems	290 (1998) 136
Dreger, Z.A., J.O. White and H.G. Drickamer, High pressure-controlled intramolecular-twist	
of flexible molecules in solid polymers	290 (1998) 399
Drickamer, H.G., see Dreger, Z.A.	290 (1998) 399
Duclusaud, H. and S.A. Borshch, On the nature of the charge-transfer transient in	
photocatalysis by the decatungstate anion	290 (1998) 526
Dugourd, Ph., see Benichou, E.	290 (1998) 171
Duncan, D.I., see Maas, D.J.	290 (1998) 75
Duppen, K., see Steffen, T.	290 (1998) 229
Egsgaard, H., see Wallington, T.J.	290 (1998) 363
Erickson, R., see Kadam, R.M.	290 (1998) 371
Elicason, R., see Radam, R.M.	270 (1770) 3/1
Falcinelli, S., see Brunetti, B.G.	290 (1998) 17
Fang, WH., see Shao, GQ.	290 (1998) 193

Ferrando, R., see Caratti, G.	290 (1998) 509
Ferretti, A., A. Lami and G. Villani, Interference effects in molecular system with curve	
crossing	290 (1998) 131
Fieberg, J.E., G.J. Szulczewski and J.M. White, Trimodal velocity distributions of nitric	
oxide for ultraviolet photodissociation of CH ₃ ONO adsorbed on Ag(111)	290 (1998) 268
Foggi, P., see Lednev, I.K.	290 (1998) 68
Fuke, K., see Takasu, R.	290 (1998) 481
Garamus, V.M., A new method for the determination of the dehydration coefficient of	
ethylene oxide groups of non-ionic surfactants in mixed micelles	290 (1998) 251
García-Vela, A., On the validity of the time-dependent self-consistent-field. approach:	270 (1770) 231
application to the vibrational predissociation of Cl ₂ -Ne	290 (1998) 155
Garland, N.L., Temperature dependence of the reaction: $SO + O_2$	290 (1998) 385
Giambiagi, M., see de Oliveira Neto, M.	290 (1998) 205
Gicquel, A., see Hassouni, K.	290 (1998) 502
Gillespie, R.J., see Bader, R.F.W.	290 (1998) 488
Grant, I.P., see Quiney, H.M.	290 (1998) 473
Green Jr., W.H., D.J. Tozer and N.C. Handy, Learnings from exchange-correlation poten-	250 (1550) 475
tials	290 (1998) 465
Gregoratti, L., see Potts, A.W.	290 (1998) 304
Güdel, H.U., see Müller, P.	290 (1998) 105
Gullion, T. and C.H. Pennington, θ -REDOR: an MAS NMR method to simplify multiple	270 (1770) 100
coupled heteronuclear spin systems	290 (1998) 88
Günther, S., see Casalis, L.	290 (1998) 245
Gunther, S., see Potts, A.W.	290 (1998) 304
Guo, QX., L. Liu, WS. Cai, Y. Jiang and YC. Liu, Driving force prediction for	,
inclusion complexation of α -cyclodextrin with benzene derivatives by a wavelet neural	
network	290 (1998) 514
Guo-xin, C., P.P. Ong and L. Ting, DFT approach for electron affinity of negative atomic	
ions	290 (1998) 211
Gupta, A.K. and D. Neuhauser, Control of harmonic generation by initial-state preparation	290 (1998) 543
H. T. V C.L.	200 (1000) 151
Ha, TK., see Suleimenov, O.M.	290 (1998) 451
Haake, M., see Brunner, E.	290 (1998) 112
Hamm, P., see Lim, M.	290 (1998) 355
Handy, N.C., see Green Jr., W.H.	290 (1998) 465
Harb, C.C., see Levenson, M.D. Harris Jr., J.S., see Levenson, M.D.	290 (1998) 335 290 (1998) 335
Hashimoto, H., see Sashima, T.	290 (1998) 335
Hashimoto, K., see Takasu, R.	290 (1998) 481
Hassouni, K., A. Gicquel and M. Capitelli, The role of dissociative attachment from	290 (1998) 481
Rydberg states in enhancing H ⁻ concentration in moderate- and low-pressure H ₂	
plasma sources	290 (1998) 502
Heeger, A.J., see Vacar, D.	290 (1998) 58
Hermida-Ramón, J.M. and M.A. Ríos, Ab initio molecular orbital analysis of acetaldehyde	
dimers. Thermodynamic properties	290 (1998) 431
Hester, R.E., see Ledney, I.K.	290 (1998) 68
Hetzer, G., P. Pulay and HJ. Werner, Multipole approximation of distant pair energies in	
local MP2 calculations	290 (1998) 143

Hikida T saa Matsushita V	200 (1009) 240
Hikida, T., see Matsushita, Y. Hirata, F., see Kovalenko, A.	290 (1998) 349 290 (1998) 237
Hirose, C., see Bandara, A.	290 (1998) 261
Hochstrasser, R.M., see Lim, M.	290 (1998) 355
Hvelplund, P., see Brink, C.	290 (1998) 551
Iguchi, K., see Tachikawa, M.	290 (1998) 437
Ihee, H., see Cao, J.	290 (1998) 1
Ishida, T. and H. Katagiri, Corrigendum to "Spin-orbit effects on Penning ionization: $Ar + He^*(2^3S) \rightarrow Ar^+(^2P_{3/2}, ^2P_{1/2}) + He + e^-$. An ab initio and trajectory study".	
[Chem. Phys. Lett. 274 (1997) 293–298]	290 (1998) 296
Jankowski, K., see Kowalski, K.	290 (1998) 180
Janssen, C.L. and I.M.B. Nielsen, New diagnostics for coupled-cluster and Møller-Plesset	
perturbation theory	290 (1998) 423
Jiang, Y., see Guo, QX.	290 (1998) 514
Jiménez-Vázquez, H.A., see Brink, C.	290 (1998) 551
Kadam, R.M., R. Erickson, K. Komaguchi, M. Shiotani and A. Lund, ENDOR and EPR studies of benzene radical cations in halocarbon matrices: the static Jahn-Teller	
distortion of the monomer and geometry of the dimer cation	290 (1998) 371
Kais, S., see Murthy, G.	290 (1998) 199
Katagiri, H., see Ishida, T.	290 (1998) 296
Katano, S., see Bandara, A.	290 (1998) 261
Keir, R.I. and G.L.D. Ritchie, Rayleigh depolarization ratios and molecular polarizability anisotropies of BX_3 ($X = F, Cl, Br, I$). Comparison of experimental results and ab initio	
calculations	290 (1998) 409
Kioussis, N., see Chen, L.	290 (1998) 255
Kiskinova, M., see Casalis, L.	290 (1998) 245
Kiskinova, M., see Potts, A.W.	290 (1998) 304
Koglin, D., see Koglin, E.	290 (1998) 99
Koglin, E., D. Koglin, R.J. Meier and S. van Heel, A combined experimental far-infrared	
and computational density functional approach applied to aluminum-alkyl cocatalysts	290 (1998) 99
Komaguchi, K., see Kadam, R.M.	290 (1998) 371
Kourouklis, G.A., see Meletov, K.P.	290 (1998) 125
Kovač, J., see Casalis, L.	290 (1998) 245
Kovalenko, A. and F. Hirata, Three-dimensional density profiles of water in contact with a solute of arbitrary shape: a RISM approach	290 (1998) 237
Kowalski, K. and K. Jankowski, Full solution to the coupled-cluster equations: the H4	
model	290 (1998) 180
Koyama, Y., see Sashima, T.	290 (1998) 36
Kubo, A., see Yoshizawa, M.	290 (1998) 43
Kubota, J., see Bandara, A.	290 (1998) 261
LaBuda, M.J. and J.C. Wright, Vibrationally enhanced four-wave mixing in 1,8-nonadiyne	290 (1998) 29
Laenen, R. and K. Simeonidis, Towards a more detailed understanding of the OH-stretch-	
ing bands of H-bonded liquids	290 (1998) 94
Lafuente, P., see Novoa, J.J.	290 (1998) 519

Lami, A., see Ferretti, A.	290 (1998) 131
Lascola, R. and J.C. Wright, Measurement of the second-order molecular hyperpolarizabil-	
ity of fullerene anions by CARS spectroscopy	290 (1998) 117
Laursen, C.M., E. Christoffersen and G.D. Billing, On the complexity of molecule-surface	
reactions	290 (1998) 275
Ledney, I.K., TQ. Ye, P. Matousek, M. Towrie, P. Foggi, F.V.R. Neuwahl, S. Umapathy,	
R.E. Hester and J.N. Moore, Femtosecond time-resolved UV-visible absorption spec-	
troscopy of trans-azobenzene: dependence on excitation wavelength	290 (1998) 68
Lee, SH. and K. Liu, Isotope effects and excitation functions for the reactions of	
$S(^{1}D) + H_{2}$, D_{2} and HD	290 (1998) 323
Levenson, M.D., B.A. Paldus, T.G. Spence, C.C. Harb, J.S. Harris Jr. and R.N. Zare,	
Optical heterodyne detection in cavity ring-down spectroscopy	290 (1998) 335
Liao, M., see Tan, H.	290 (1998) 458
Liarokapis, E., see Meletov, K.P.	290 (1998) 125
Lim, M., M.F. Wolford, P. Hamm and R.M. Hochstrasser, Chirped wavepacket dynamics	
of HgBr from the photolysis of HgBr ₂ in solution	290 (1998) 355
Liu, K., see Lee, SH.	290 (1998) 323
Liu, L., see Guo, QX.	290 (1998) 514
Liu, YC., see Guo, QX.	290 (1998) 514
Lubberhuizen, W.H., see Salafsky, J.S.	290 (1998) 297
Lund, A., see Kadam, R.M.	290 (1998) 371
Maas, D.J., D.I. Duncan, R.B. Vrijen, W.J. van der Zande and L.D. Noordam, Vibrational ladder climbing in NO by (sub)picosecond frequency-chirped infrared laser pulses Mackie, J.C., see Bacskay, G.B.	290 (1998) 75 290 (1998) 391
Manz, J., K. Sundermann and R. de Vivie-Riedle, Quantum optimal control strategies for	290 (1998) 391
photoisomerization via electronically excited states	290 (1998) 415
Marsi, M., see Casalis, L.	290 (1998) 245
Marsi, M., see Potts, A.W.	290 (1998) 304
Martín, F., see Bader, R.F.W.	290 (1998) 488
Martín, F., see Bader, R.F.W. Martin, J.M.L., see Uzan, O.	290 (1998) 535
Martínez, T.J., see Ben-Nun, M.	290 (1998) 289
Martoprawiro, M., see Bacskay, G.B.	290 (1998) 391
Matousek, P., see Ledney, I.K.	290 (1998) 68
Matsushita, Y. and T. Hikida, TICT state formation in the 4'-dimethylaminoacetophenone-	290 (1990) 00
α-cyclodexdtrin inclusion complex	290 (1998) 349
Meier, R.J., see Koglin, E.	290 (1998) 99
Meletov, K.P., E. Liarokapis, J. Arvanitidis, K. Papagelis, D. Palles, G.A. Kourouklis and	200 (1000)
S. Ves, On the nature of the laser irradiation induced reversible softening of phonon	
modes in C ₆₀ single crystals	290 (1998) 125
Mezzasalma, S.A., Decrease of the bulk elemental concentration in solid/solution growth	270 (1770) 125
processes as a recursive mechanism. A class of kinetic equations deduced from	
adsorption isotherm maps	290 (1998) 282
Moore, J.N., see Ledney, I.K.	290 (1998) 68
Mori, K., see Tachikawa, M.	290 (1998) 437
Morrison, G.R., see Potts, A.W.	290 (1998) 304
Mota, F., see Novoa, J.J.	290 (1998) 519

Müller, P., M. Wermuth and H.U. Güdel, Mechanisms of near-infrared to visible upconver-	()
sion in CsCdBr ₃ :Ho ³⁺	290 (1998) 105
Murthy, G. and S. Kais, Renormalization group approach for electronic excitations in	(
atoms	290 (1998) 199
Nagae, H., see Sashima, T.	290 (1998) 36
Nakai, H., see Tachikawa, M.	290 (1998) 437
Nakamura, Y., see Asahi, N.	290 (1998) 63
Nakano, M. and K. Yamaguchi, Numerical coupled Liouville approach: the dependence of the second hyperpolarizability on field intensity and the size of linear molecular	
aggregates	290 (1998) 216
Narikiyo, O., Comment on "correlation length and density fluctuations in supercritical	
states of carbon dioxide"	290 (1998) 549
Naumkin, F.Y. and D.J. Wales, Influence of the atom-atom interaction anisotropy on the	
structure and stability of Ar _n Cl ₂ clusters	290 (1998) 164
Nelson, K.A., see Takeda, J.	290 (1998) 341
Neuhauser, D., see Gupta, A.K.	290 (1998) 543
Neuwahl, F.V.R., see Ledney, I.K.	290 (1998) 68
Nielsen, I.M.B., see Janssen, C.L.	290 (1998) 423
Nielsen, O.J., see Wallington, T.J.	290 (1998) 363
Noordam, L.D., see Maas, D.J.	290 (1998) 75
Novoa, J.J., P. Lafuente and F. Mota, Are non-linear C-H · · · O contacts hydrogen bonds or Van der Waals interactions? Establishing the limits between hydrogen bonds and Van	
der Waals interactions	290 (1998) 519
Ondo V. see Pondere A	290 (1998) 261
Onda, K., see Bandara, A.	290 (1998) 261
Ong, P.P., see Guo-xin, C.	290 (1998) 311
Osawa, E., see Slanina, Z.	290 (1998) 311
Paldus, B.A., see Levenson, M.D.	290 (1998) 335
Palles, D., see Meletov, K.P.	290 (1998) 125
Pan, DH., see Shoute, L.C.T.	290 (1998) 24
Papagelis, K., see Meletov, K.P.	290 (1998) 125
Pennington, C.H., see Gullion, T.	290 (1998) 88
Perić, M. and J. Radić-Perić, Ab initio investigation of the vibronic structure and the	
spin-orbit coupling in the $X^2\Pi_u$ state of $C_2D_2^+$	290 (1998) 443
Phillips, D.L., see Shoute, L.C.T.	290 (1998) 24
Pines, A., see Brunner, E.	290 (1998) 112
Platz, J., see Wallington, T.J.	290 (1998) 363
Potts, A.W., G.R. Morrison, L. Gregoratti, S. Gunther, M. Kiskinova and M. Marsi,	
Selective oxidation of surface grains in polycrystalline tin	290 (1998) 304
Pulay, P., see Hetzer, G.	290 (1998) 143
Qiao, C., see Cao, X.	290 (1998) 405
Quiney, H.M., H. Skaane and I.P. Grant, Relativistic, quantum electrodynamic and	270 (1770) 403
many-body effects in the water molecule	290 (1998) 473
Radić-Perić, J., see Perić, M.	290 (1998) 443
Ramachandram, B. and A. Samanta, How important is the quenching influence of the	
Ramachandram, D. and A. Samanta, 1104 important is the queneming influence of the	

Ramasami, T., see Subramanian, V.	290 (1998) 189
Rayane, D., see Benichou, E.	290 (1998) 171
Reimer, J.A., see Brunner, E.	290 (1998) 112
Ríos, M.A., see Hermida-Ramón, J.M.	290 (1998) 431
Ritchie, G.L.D., see Keir, R.I.	290 (1998) 409
Saikan, S., see Yoshizawa, M.	290 (1998) 43
Salafsky, J.S., W.H. Lubberhuizen and R.E.I. Schropp, Photoinduced charge separation and	
recombination in a conjugated polymer-semiconductor nanocrystal composite	290 (1998) 297
Samanta, A., see Ramachandram, B.	290 (1998) 9
Sashima, T., M. Shiba, H. Hashimoto, H. Nagae and Y. Koyama, The 2Ag energy of	
crystalline all-trans-spheroidene as determined by resonance-Raman excitation profiles	290 (1998) 36
Saunders, M., see Brink, C.	290 (1998) 551
Schram, D.C., see Brussaard, G.J.H.	290 (1998) 379
Schropp, R.E.I., see Salafsky, J.S.	290 (1998) 297
Sehested, J., see Wallington, T.J.	290 (1998) 363
Seydoux, R., see Brunner, E.	290 (1998) 112
Shao, GQ. and WH. Fang, Equilibrium geometry of the HCCP triplet ground state:	
phospho-carbene, phospho-allene or phosphorene? A combined density functional and	(
ab initio study	290 (1998) 193
Shen, H., see Brink, C.	290 (1998) 551
Shiba, M., see Sashima, T.	290 (1998) 36
Shiotani, M., see Kadam, R.M.	290 (1998) 371
Shoute, L.C.T., DH. Pan and D.L. Phillips, Nanosecond time-resolved resonance Raman	200 (1000) 24
investigation of the $T_1 \rightarrow T_n$ transition of 2-bromonaphthalene	290 (1998) 24
Simeonidis, K., see Laenen, R.	290 (1998) 94
Sivanesan, D., see Subramanian, V. Skaane, H., see Quiney, H.M.	290 (1998) 189 290 (1998) 473
Slanina, Z., X. Zhao and E. Osawa, C ₃₆ fullerenes and <i>quasi</i> -fullerenes: computational	290 (1996) 473
search through 598 cages	290 (1998) 311
Spadacini, R., see Caratti, G.	290 (1998) 509
Spence, T.G., see Levenson, M.D.	290 (1998) 335
Steffen, T. and K. Duppen, Mode coupling mechanisms in the impulsive 2D Raman	270 (1770) 333
response of liquid CS ₂	290 (1998) 229
Stein, T., see Wallington, T.J.	290 (1998) 363
Stramaccia, M., see Brunetti, B.G.	290 (1998) 17
Subramanian, V., D. Sivanesan and T. Ramasami, The role of solvent on the base stacking	
properties of the stacked cytosine dimer	290 (1998) 189
Suleimenov, O.M. and TK. Ha, Ab initio calculation of the thermochemical properties of	
polysulphanes (H_2S_n)	290 (1998) 451
Sundermann, K., see Manz, J.	290 (1998) 415
Suzuki, K., see Yoshizawa, M.	290 (1998) 43
Szulczewski, G.J., see Fieberg, J.E.	290 (1998) 268
Tachikawa, M., K. Mori, H. Nakai and K. Iguchi, An extension of ab initio molecular	
orbital theory to nuclear motion	290 (1998) 437
Taguchi, T., see Takasu, R.	290 (1998) 481

Talana D. T. Tanashi, K. Hashimata and K. Eules Mismassonia solvetion process of	
Takasu, R., T. Taguchi, K. Hashimoto and K. Fuke, Microscopic solvation process of	290 (1998) 481
single Li atom in small water clusters Takeda L. D.D. Chung L. Zhou and K.A. Nalson, Intramalacular proton transfer of a	290 (1990) 401
Takeda, J., D.D. Chung, J. Zhou and K.A. Nelson, Intramolecular proton transfer of a 2-(2',4'-dinitrobenzyl)pyridine studied by femtosecond transient absorption spectroscopy	290 (1998) 341
Tan, H., M. Liao and K. Balasubramanian, Potential energy surfaces of OsCO	290 (1998) 458
Tang, J., Structural implications of transient X-, K- and W-band EPR spectra of deuterated	290 (1990) 430
and protonated reaction centers of Rhodobacter sphaeroides R-26	290 (1998) 49
Ting, L., see Guo-xin, C.	290 (1998) 211
Tommei, G.E., see Caratti, G.	290 (1998) 509
Towrie, M., see Ledney, I.K.	290 (1998) 68
Tozer, D.J., see Green Jr., W.H.	290 (1998) 465
Tozof, D.S., see Green St., W.II.	220 (1220) 100
Umapathy, S., see Lednev, I.K.	290 (1998) 68
Uzan, O. and J.M.L. Martin, Can Si=O bonds be stabilized by Rh/Ir complexes? A	
density functional theory study	290 (1998) 535
Vacar, D., A. Dogariu and A.J. Heeger, Ultrafast gain and excited-state absorption in	
luminescent polymers: pump-wavelength invariance	290 (1998) 58
Van der Zande, W.J., see Maas, D.J.	290 (1998) 75
Van de Sanden, M.C.M., see Brussaard, G.J.H.	290 (1998) 379
Van Heel, S., see Koglin, E.	290 (1998) 99
Vecchiocattivi, F., see Brunetti, B.G.	290 (1998) 17
Ves, S., see Meletov, K.P.	290 (1998) 125
Vigasin, A.A., Mass-action law for highly excited dimers	290 (1998) 495
Villani, G., see Ferretti, A.	290 (1998) 131
Vrijen, R.B., see Maas, D.J.	290 (1998) 75
Wada, A., see Bandara, A.	290 (1998) 261
Wales, D.J., see Naumkin, F.Y.	290 (1998) 164
Wallington, T.J., H. Egsgaard, O.J. Nielsen, J. Platz, J. Sehested and T. Stein, UV-visible	
spectrum of the phenyl radical and kinetics of its reaction with NO in the gas phase	290 (1998) 363
Wang, D., see Cao, X.	290 (1998) 405
Wermuth, M., see Müller, P.	290 (1998) 105
Werner, HJ., see Hetzer, G.	290 (1998) 143
Werner, J.H. and T.A. Cool, Flame sampling photoionization mass spectrometry of	
dichloroethenol	290 (1998) 81
White, J.M., see Fieberg, J.E.	290 (1998) 268
White, J.O., see Dreger, Z.A.	290 (1998) 399
Wolford, M.F., see Lim, M.	290 (1998) 355
Wright, J.C., see LaBuda, M.J.	290 (1998) 29
Wright, J.C., see Lascola, R.	290 (1998) 117
Wu, R., see Chen, L.	290 (1998) 255
Yamaguchi, K., see Nakano, M.	290 (1998) 216
Ye, TQ., see Ledney, I.K.	290 (1998) 68
Yoshizawa, M., K. Suzuki, A. Kubo and S. Saikan, Femtosecond study of S2 fluorescence	
in malachite green in solutions	290 (1998) 43
Zare, R.N., see Levenson, M.D.	290 (1998) 335

Zelenskaya, I., see Caratti, G.	290 (1998) 509
Zewail, A.H., see Cao, J.	290 (1998) 1
Zhang, Q., see Chen, L.	290 (1998) 255
Zhao, X., see Slanina, Z.	290 (1998) 311
Zhou, J., see Takeda, J.	290 (1998) 341